






BREMSTECH

SHOCK ABSORBERS







	BREMSTECH REFERENCE	VEHICLE • MODEL	R/F	ALT. REF.	INFORMATION
	BR0102SA	MERCEDES ACTROS -1996 - 1831, 1840, 2531, 2657 MERCEDES ACTROS MP/2 MP/3 -2003 - 1832, 1836, 2 546, AXOR 2-2004- 1826, 1829, 2528, 2533	R	124359 124361 131623 T5171 -T5414 0053261100 0053262500 0063266000 0053267400 0063260100	SHOCK ABSORBERS TYPE: OIL PRESSURE MOUNTING TYPE: UPPER PIN - LOWER EYE SHOCK ABSORBER SYSTEM: DOUBLE PIPE LENGTH EXTENDED: 725mm LENGTH SHORTENED: 445mm DIAMETER UPPER EYE: Ø 20mm DIAMETER LOWER EYE: Ø 20mm WIDTH UPPER EYE: 105mm WIDTH LOWER EYE: 50mm DIAMETER UPPER CAP: 76mm DIAMETER LOWER PIPE: 63,5mm
	BR0138SA	MERCEDES ACTROS MP/4 MP/5 -2011 - 1824, 1832, 2433, 2627, 4152 MERCEDES ANTOS-2012- 2024, 2532, 3351 MERCEDES AROCS-2012- 1827, 2635, 3230, 3243, 4148, 4163	F	316704 CB0251 9603107555 9603100755 9613101555	SHOCK ABSORBERS TYPE: OIL PRESSURE MOUNTING TYPE: UPPER PIN - LOWER EYE SHOCK ABSORBER SYSTEM: DOUBLE PIPE LENGTH 1: 362mm LENGTH 2: 275mm DIAMETER UPPER EYE: Ø 35mm DIAMETER LOWER EYE: Ø 14mm WIDTH UPPER EYE: 46mm WIDTH LOWER EYE: 50mm DIAMETER UPPER CAP: 95mm DIAMETER LOWER PIPE: 45mm
	BR0153SA	MERCEDES ACTROS MP4/MP5 -2011- 1831, 1835, 1844, 2041, 2536, 2631, 4141 MERCEDES ANTOS -2012- 1824, 1827, 2030, 2532 MERCEDES AROCS-2013- 1827, 2635, 2042, 2635	R	CB0259 317516 9603109255 9603106955 9613101255	SHOCK ABSORBERS TYPE: OIL PRESSURE MOUNTING TYPE: MOUNTING TYPE UPPER HOOK, LOWER EYE SHOCK ABSORBER SYSTEM: DOUBLE PIPE LENGTH 1: 430mm LENGTH 2: 310mm DIAMETER HOOK: Ø 12mm DIAMETER LOWER EYE: Ø 14mm WIDTH LOWER EYE: 50mm DIAMETER UPPER CAP: 72mm DIAMETER LOWER PIPE: 45mm
	BR0155SA	MERCEDES ACTROS MP4/MP5 -2011- 1831, 1835, 1844, 2041, 2536, 2631, 4141 MERCEDES ANTOS -2012- 1824, 1827, 2030, 2532	F	T1374 9603231500 9603231900 9603233200 9603234700	SHOCK ABSORBERS TYPE: OIL PRESSURE MOUNTING TYPE: UPPER PIN - LOWER EYE SHOCK ABSORBER SYSTEM: DOUBLE PIPE LENGTH EXTENDED: 700mm LENGTH SHORTENED: 430mm DIAMETER UPPER EYE: Ø 20mm DIAMETER LOWER EYE: Ø 20mm WIDTH UPPER EYE: 55mm WIDTH LOWER EYE: 55mm DIAMETER UPPER PIPE: 63,4mm DIAMETER LOWER PIPE: 54mm



	BREMSTECH REFERENCE	VEHICLE • MODEL	R/F	ALT. REF.	INFORMATION
	BR0158SA	MERCEDES ACTROS MP4/MP5 -2011- 1831, 1835, 1844, 2041, 2536, 2631, 4141 MERCEDES ANTOS -2012- 1824, 1827, 2030, 2532, MERCEDES AROCS-2013- 1827, 2635, 2042, 2635 IVECO STRALIS I-II -2004- 190S, 260S, 440S	R	T5446 9603260404 9603260504 9603261200 9603261404 9603262800 9603262900	SHOCK ABSORBERS TYPE: OIL PRESSURE MOUNTING TYPE: UPPER PIN - LOWER EYE SHOCK ABSORBER SYSTEM: DOUBLE PIPE LENGTH EXTENDED: 769mm LENGTH SHORTENED: 474mm DIAMETER UPPER EYE: Ø 20mm DIAMETER LOWER EYE: Ø 20mm WIDTH UPPER EYE: 55mm WIDTH LOWER EYE: 55mm DIAMETER UPPER PIPE: 75mm DIAMETER LOWER PIPE: 63,4mm
	BR0087SA	MAN TGS TGA TGX ~2000-2010 18.310, 18.360, 26.310, 26.480, 35.480, 41.530	F	300013 313077 300014 235003 81417226069 81417226070 81417226071 81417226072 81417226053 81417226054 81417226066 81417226067 81417226082 73170001686 73170003505	SHOCK ABSORBERS TYPE: AIR BELLOW AND OIL PRESSURE MOUNTING TYPE: UPPER PIN - LOWER EYE LENGTH EXTENDED: 375mm LENGTH SHORTENED: 291mm DIAMETER UPPER EYE: Ø 12mm DIAMETER LOWER EYE: Ø 12mm WIDTH UPPER EYE: 50mm WIDTH LOWER EYE: 50mm
	BR0129SA	MAN TGA TGS I TGX I -2005- 18.310, 18.360, 26.310, 26.480, 35.480, 41.530, 50.350	F	CB0201 317926 290975 290977 81417226085 81417226086 81417226087	SHOCK ABSORBERS TYPE: OIL PRESSURE MOUNTING TYPE: UPPER PIN - LOWER EYE SHOCK ABSORBER SYSTEM: DOUBLE PIPE LENGTH 1: 380mm LENGTH 2: 290mm DIAMETER UPPER EYE: Ø 12mm DIAMETER LOWER EYE: Ø 12mm WIDTH UPPER EYE: 50mm WIDTH LOWER EYE: 50mm DIAMETER UPPER CAP: 85mm DIAMETER LOWER PIPE: 40mm
	BR0130SA	MAN TGA TGS I TGX I -2002- 18.310, 18.360, 26.310, 26.480, 35.480, 41.530, 50.350	R	CB0197 81417226061 81417226063 81417226065	SHOCK ABSORBERS TYPE: OIL PRESSURE MOUNTING TYPE: UPPER PIN - LOWER EYE SHOCK ABSORBER SYSTEM: DOUBLE PIPE LENGTH 1: 350mm LENGTH 2: 260mm DIAMETER UPPER EYE: Ø 12mm DIAMETER LOWER EYE: Ø 12mm WIDTH UPPER EYE: 45mm WIDTH LOWER EYE: 50mm DIAMETER UPPER CAP: 85mm DIAMETER LOWER PIPE: 40mm



	BREMSTECH REFERENCE	VEHICLE • MODEL	R/F	ALT. REF.	INFORMATION
	BR0144SA	MAN TGA -2002- 18.310, 18.360, 26.310, 26.480, 35.480, 41.530, 50.350 MAN TGS II-TGX II -2020- 18.470, 24.400, 26.400, 35.510	R	T5263 81437016905 81437026100 0083654	SHOCK ABSORBERS TYPE: OIL PRESSURE MOUNTING TYPE: UPPER PIN - LOWER EYE SHOCK ABSORBER SYSTEM: DOUBLE PIPE LENGTH EXTENDED: 684mm LENGTH SHORTENED: 428mm DIAMETER UPPER EYE: Ø 20mm DIAMETER LOWER EYE: Ø 30mm WIDTH UPPER EYE: 62mm WIDTH LOWER EYE: 62mm DIAMETER UPPER PIPE: 76mm DIAMETER LOWER PIPE: 63mm
	BR0145SA	MAN TGA -2002- 18.310, 18.360, 26.310, 26.480, 35.480, 41.530, 50.350 MAN TGS II-TGX II -2020- 18.470, 24.400, 26.400, 35.510	F	T1333 314336 81437026058 81437026154	SHOCK ABSORBERS TYPE: OIL PRESSURE MOUNTING TYPE: UPPER PIN - LOWER EYE SHOCK ABSORBER SYSTEM: DOUBLE PIPE LENGTH EXTENDED: 665mm LENGTH SHORTENED: 418mm DIAMETER UPPER EYE: Ø 20mm DIAMETER LOWER EYE: Ø 24mm WIDTH UPPER EYE: 105mm WIDTH LOWER EYE: 55mm DIAMETER UPPER PIPE: 70mm DIAMETER LOWER PIPE: 60mm
	BR0151SA	MAN TGA -2002- 18.310, 18.360, 26.310, 26.480, 35.480, 41.530, 50.350 MAN TGM TGS -TGS I-THG I-2005- 18.470, 24.400, 26.400, 35.510	R	CB0302 81417226074 81417226083	SHOCK ABSORBERS TYPE: AIR BELLOW AND OIL PRESSURE MOUNTING TYPE: UPPER PIN - LOWER EYE LENGTH EXTENDED: 338mm LENGTH SHORTENED: 254mm DIAMETER UPPER EYE: Ø 12mm DIAMETER LOWER EYE: Ø 12mm WIDTH UPPER EYE: 45mm WIDTH LOWER EYE: 50mm
	BR0154SA	MAN TGA -2002- 18.310, 18.360, 26.310, 26.480, 35.480, 41.530, 50.350 MAN TGM TGS -TGS I-THG I-2005- 18.470, 24.400, 26.400, 35.510	R	81417226084	SHOCK ABSORBERS TYPE: AIR BELLOW AND OIL PRESSURE MOUNTING TYPE: UPPER PIN - LOWER EYE LENGTH EXTENDED: 338mm LENGTH SHORTENED: 254mm DIAMETER UPPER EYE: Ø 12mm DIAMETER LOWER EYE: Ø 12mm WIDTH UPPER EYE: 45mm WIDTH LOWER EYE: 50mm



Manufacturer names and numbers are used for reference purposes only and do not imply any connection with the original manufacturers.

	BREMSTECH REFERENCE	VEHICLE • MODEL	R/F	ALT. REF.	INFORMATION
	BR0068SA	VOLVO FH12-FH16 -1993-2005 380,420, 460 ,500, 520 VOLVO FH16 II - 2012- 550,600,700,750	R	316373 CB0006 1076855 20427897 20721169 20775212 20889134 20721167 20736464 20889138 21032337 21651231 3172 985 3198 850 22144200	SHOCK ABSORBERS TYPE: AIR BELLOW AND OIL PRESSURE MOUNTING TYPE: UPPER PIN - LOWER EYE LENGTH EXTENDED: 410mm LENGTH SHORTENED: 350mm DIAMETER UPPER EYE: Ø 14mm DIAMETER LOWER EYE: Ø 14mm WIDTH UPPER EYE: 45mm WIDTH LOWER EYE: 45mm
	BR0099SA	VOLVO FH12-FH16 -1993- 340, 380, 420, 460, FH16 II - 2012- 550 ,600, 750, FM -2005- 300, 480 FM10-FM12-FM7-1999 -340, 380, FM9-2001- 380 FM II -2012- FMX-FMX II -2010- 380, 460	F	290493 315851 CB0007 1622227 3198849 3986315	SHOCK ABSORBERS TYPE: OIL PRESSURE MOUNTING TYPE: UPPER PIN - LOWER EYE SHOCK ABSORBER SYSTEM: DOUBLE PIPE LENGTH EXTENDED: 259mm LENGTH SHORTENED: 235mm DIAMETER UPPER EYE: Ø 20mm DIAMETER LOWER EYE: Ø 20mm WIDTH UPPER EYE: 45mm WIDTH LOWER EYE: 45mm DIAMETER UPPER CAP: 48mm DIAMETER LOWER PIPE: 40mm
	BR0135SA	VOLVO FH 16 II-2012- 700, 650, 650 FH II -2012 420	F	CB0207 21170611 22040662 23577661	SHOCK ABSORBERS TYPE: AIR BELLOW AND OIL PRESSURE MOUNTING TYPE: UPPER PIN - LOWER EYE LENGTH EXTENDED: 352mm LENGTH SHORTENED: 235mm UPPER PIN: 12X1,5 THREAD DIAMETER LOWER EYE: Ø 14mm WIDTH LOWER EYE (WHOLE): 67mm DIAMETER UPPER PIN: 16mm DIAMETER LOWER PIPE: 45mm
	BR0139SA	VOLVO FH 12-1993- 380, 340, 460, 500 VOLVO FH 16 -2005- 550, 580 VOLVO FH 16 II -2012- 520, 400, 660 VOLVO FM9 -2001- 300, 380 FMX-FMX II-FMX III -2010- 370, 450	F	CB0040 21111925 3198836 3092136 3198836	SHOCK ABSORBERS TYPE: OIL PRESSURE MOUNTING TYPE: UPPER PIN - LOWER EYE SHOCK ABSORBER SYSTEM: DOUBLE PIPE LENGTH EXTENDED: 336mm LENGTH SHORTENED: 224mm UPPER PIN: 12X1,5 THREAD DIAMETER LOWER EYE: Ø 20mm WIDTH LOWER EYE: 67mm DIAMETER LOWER PIPE: 42mm ADDITIONAL INFORMATION: WITHOUT SPRING

Manufacturer names and numbers are used for reference purposes only and do not imply any connection with the original manufacturers.

	BREMSTECH REFERENCE	VEHICLE • MODEL	R/F	ALT. REF.	INFORMATION
	BR0113SA	VOLVO FH 12 -1993- VOLVO FM 7 -1998- VOLVO FH 16 -1993- VOLVO FM 12 -1998-2005- VOLVO NH 12 -1998- VOLVO FM 10 1999-2003 VOLVO FM 9 2001-2005- VOLVO FH 16 II -2012-	F	1076717 1629478 20374545 3987957 900098/T1177	SHOCK ABSORBERS TYPE: OIL PRESSURE MOUNTING TYPE: UPPER EYE - LOWER PIN LENGTH EXTENDED: 723mm LENGTH SHORTENED: 450mm DIAMETER UPPER EYE: Ø 16mm DIAMETER LOWER EYE: Ø 16mm
	BR0128SA	RENAULT T -2013- 440, 480, 520 VOLVO FH 16 III-2020- 550, 700 VOLVO FH 16 II-2012- 550, 540 VOLVO FH -2005- 520, 400	R	CB0208 21171975 22128971	SHOCK ABSORBERS TYPE: OIL PRESSURE MOUNTING TYPE: UPPER PIN, LOWER EYE SHOCK ABSORBER SYSTEM: DOUBLE PIPE LENGTH EXTENDED: 185mm LENGTH SHORTENED: 155mm PIN: 12X1,5 DIAMETER LOWER EYE: Ø 14mm WIDTH LOWER EYE: 48,5mm DIAMETER UPPER CAP: 50mm DIAMETER LOWER PIPE: 42mm
	BR0120SA	RENAULT T -2013- 440, 480, 520 VOLVO FH-2005- 400, 440, 480, 520 VOLVO FH II -2005- 380, 460 VOLVO FH 16 -2003- 540, 600, 700	R	CB0213 21171976 22040666 7421821027	SHOCK ABSORBERS TYPE: AIR BELLOW AND OIL PRESSURE MOUNTING TYPE: UPPER PIN - LOWER EYE LENGTH EXTENDED: 387mm LENGTH SHORTENED: 333mm DIAMETER UPPER EYE: Ø 14mm DIAMETER LOWER EYE: Ø 14mm WIDTH UPPER EYE: 45mm WIDTH LOWER EYE: 45mm
	BR0121SA	DAF XF-2012- FA, FAN, FAR, FAS, FT, FTR, FTT	F	CB0224 1850676 1936404	SHOCK ABSORBERS TYPE: OIL PRESSURE MOUNTING TYPE: UPPER PIN - LOWER EYE SHOCK ABSORBER SYSTEM: DOUBLE PIPE LENGTH 1: 380mm LENGTH 2: 300mm DIAMETER UPPER EYE: Ø 12mm DIAMETER LOWER EYE: Ø 12mm WIDTH UPPER EYE: 50mm WIDTH LOWER EYE: 50mm DIAMETER UPPER CAP: 95mm DIAMETER LOWER PIPE: 42mm





	BREMSTECH REFERENCE	VEHICLE • MODEL	R/F	ALT. REF.	INFORMATION
	BR0122SA	DAF CF -2014- FA, FAD, FAN, FAR DAF XF -2012- FA, FAK, FAR, FTG	F	CB0221 931023 1850 682	SHOCK ABSORBERS TYPE: AIR BELLOW AND OIL PRESSURE MOUNTING TYPE: UPPER PIN - LOWER EYE LENGTH EXTENDED: 355mm LENGTH SHORTENED: 258mm DIAMETER UPPER EYE: Ø 12mm DIAMETER LOWER EYE: Ø 12mm WIDTH UPPER EYE: 45mm WIDTH LOWER EYE: 50mm
	BR0123SA	DAF 95 XF-1997- FA, FAD, FAN, FAR DAF XF 105 -2005- FA, FAK, FAR, FTG, FAN	F	312780-315587 CB0235 1337159 1387327 1623464 1319672	SHOCK ABSORBERS TYPE: OIL PRESSURE MOUNTING TYPE: UPPER PIN - LOWER EYE SHOCK ABSORBER SYSTEM: DOUBLE PIPE LENGTH 1: 339mm LENGTH 2: 240mm DIAMETER UPPER EYE: Ø 25mm PIN: 14x1,5 THREAD WIDTH UPPER EYE: 45mm DIAMETER PIPE: 42mm
	BR0132SA	DAF XF -2012- FA, FAR, FT, FTP, FTT	R	CB0229 1945345 1924746 1850671 1955775 2191027	SHOCK ABSORBERS TYPE: OIL PRESSURE MOUNTING TYPE: UPPER PIN - LOWER EYE SHOCK ABSORBER SYSTEM: SINGLE PIPE LENGTH 1: 261mm LENGTH 2: 229mm DIAMETER UPPER EYE: Ø 12mm DIAMETER LOWER EYE: Ø 12,5mm WIDTH UPPER EYE: 40mm WIDTH LOWER EYE: 114mm DIAMETER UPPER CAP: 60mm DIAMETER LOWER PIPE: 50mm
	BR0134SA	DAF XF 105 -2005- FA, FAK, FTT DAF XF 95 -2002- FA, FAT, FT, FTT	R	CB0042 1303516 1436055	SHOCK ABSORBERS TYPE: OIL PRESSURE MOUNTING TYPE: UPPER PIN - LOWER EYE SHOCK ABSORBER SYSTEM: DOUBLE PIPE LENGTH EXTENDED: 255mm LENGTH SHORTENED: 225mm DIAMETER UPPER EYE: Ø 14mm DIAMETER LOWER EYE: Ø 14mm WIDTH UPPER EYE: 40mm WIDTH LOWER EYE: 40mm DIAMETER UPPER PIPE: 54mm DIAMETER LOWER PIPE: 42mm




	BREMSTECH REFERENCE	VEHICLE • MODEL	R/F	ALT. REF.	INFORMATION
	BR0152SA	DAF XF105	R	1382703 1398694 1696290 1849370 1942781 1944417	SHOCK ABSORBERS TYPE: OIL PRESSURE MOUNTING TYPE: UPPER PIN - LOWER PIN LENGTH EXTENDED: 693mm LENGTH SHORTENED: 401mm
	BR0149SA	DAF: XF105, XF95, CF65, CF75, CF85, LF45,	R	1369711 1443695 1450885 1456600 1606742	SHOCK ABSORBERS TYPE: OIL PRESSURE MOUNTING TYPE: UPPER EYE - LOWER PIN LENGTH EXTENDED: 670mm LENGTH SHORTENED: 436mm DIAMETER UPPER EYE: Ø 20 DIAMETER LOWER EYE: Ø 20
	BR0124SA	DAF XF-2012- FA, FAN, FAR, FAS, FT, FTR, FTT	R	CB0225 1936405 1850677	SHOCK ABSORBERS TYPE: OIL PRESSURE MOUNTING TYPE: UPPER EYE, LOWER PIN SHOCK ABSORBER SYSTEM: DOUBLE PIPE LENGTH 1: 327mm LENGTH 2: 257mm DIAMETER UPPER EYE: Ø 12mm DIAMETER LOWER EYE: Ø 12mm WIDTH UPPER EYE: 50mm WIDTH LOWER EYE: 50mm DIAMETER UPPER CAP: 95mm DIAMETER LOWER PIPE: 42mm
	BR0125SA	DAF CF-2014- FA, FAN, FAR, FAS, FT, FTR, FTT DAF XF-2012- FA, FAN, FAR, FAS, FT, FTR, FTT	R	CB0223 1850683 1868687 1931024 1931026	SHOCK ABSORBERS TYPE: AIR BELLOW AND OIL PRESSURE MOUNTING TYPE: UPPER PIN - LOWER EYE LENGTH EXTENDED: 321mm LENGTH SHORTENED: 243mm DIAMETER UPPER EYE: Ø 12mm DIAMETER LOWER EYE: Ø 12mm WIDTH UPPER EYE: 50mm WIDTH LOWER EYE: 50mm

Manufacturer names and numbers are used for reference purposes only and do not imply any connection with the original manufacturers.

	BREMSTECH REFERENCE	VEHICLE • MODEL	R/F	ALT. REF.	INFORMATION
	BR0126SA	DAF 95 XF-1997- FA, FAD, FAN, FAR DAF XF 105 -2005- FA, FAK, FAR, FTG, FAN	R	CB0237 1319673 1387326 1623465 1792422	SHOCK ABSORBERS TYPE: OIL PRESSURE MOUNTING TYPE: UPPER EYE, LOWER PIN SHOCK ABSORBER SYSTEM: DOUBLE PIPE LENGTH 1: 284mm LENGTH 2: 275mm DIAMETER UPPER EYE: Ø 14mm PIN: 14x1,5 WIDTH UPPER EYE: 40mm DIAMETER LOWER PIPE: 42mm
	BR0127SA	DAF CF-2014- FA, FAN, FAR, FAS, FT, FTR, FTT DAF XF-2012- FA, FAN, FAR, FAS, FT, FTR, FTT	R	CB0228 1868685 1936407	SHOCK ABSORBERS TYPE: OIL PRESSURE MOUNTING TYPE: UPPER PIN - LOWER EYE SHOCK ABSORBER SYSTEM: DOUBLE PIPE LENGTH 1: 327mm LENGTH 2: 257mm DIAMETER UPPER EYE: Ø 12mm DIAMETER LOWER EYE: Ø 12mm WIDTH UPPER EYE: 50mm WIDTH LOWER EYE: 50mm DIAMETER UPPER CAP: 95mm DIAMETER LOWER PIPE: 42mm
	BR0140SA	IVECO STRALIS I-2004- 190S, 260S, 440S IVECO STRALIS II -2012- AD190, AS260, AT440 IVECO TRAKKER I -2004- AD190, AS260, AT440 IVECO TRAKKER II -2012- AT720	R	131377 310049 T5269 41033039 41214461 41214700 41225418 41296211 41296216	SHOCK ABSORBERS TYPE: OIL PRESSURE MOUNTING TYPE: UPPER PIN - LOWER EYE SHOCK ABSORBER SYSTEM: DOUBLE PIPE LENGTH EXTENDED: 650mm LENGTH SHORTENED: 405mm DIAMETER UPPER EYE: Ø 20mm DIAMETER LOWER EYE: Ø 20mm WIDTH UPPER EYE: 55mm WIDTH LOWER EYE: 55mm DIAMETER UPPER PIPE: 76mm DIAMETER LOWER PIPE: 63,5mm
	BR0137SA	IVECO	F	CB0137 500340705 500357351 2997823	SHOCK ABSORBERS TYPE: OIL PRESSURE MOUNTING TYPE: UPPER EYE-LOWER PIN LENGTH EXTENDED: 426mm LENGTH SHORTENED: 316mm DIAMETER UPPER EYE: Ø 32mm DIAMETER LOWER EYE: Ø 20mm

Manufacturer names and numbers are used for reference purposes only and do not imply any connection with the original manufacturers.

	BREMSTECH REFERENCE	VEHICLE • MODEL	R/F	ALT. REF.	INFORMATION
	BR0136SA	IVECO	R	2997844 500340706 500357352 97383886	SHOCK ABSORBERS TYPE: GAS TYPE MOUNTING TYPE: UPPER EYE - LOWER PIN LENGTH EXTENDED: 332mm DIAMETER UPPER EYE: Ø 20 LENGTH SHORTENED: 254mm DIAMETER LOWER EYE: Ø 20
	BR0057SA	BPW GIGANT FRUEHAUF CARDI	R	237228300 237229000 237021900 237023600 237025200 237221400 237228302 237320002 237021400 M001022 196107 196111 196115 237221400 700196103 700196107 700196111 700196112	SHOCK ABSORBERS TYPE: OIL PRESSURE MOUNTING TYPE: UPPER EYE - LOWER PIN LENGTH EXTENDED: 496mm LENGTH SHORTENED: 326mm DIAMETER UPPER EYE: Ø 24mm DIAMETER LOWER EYE: Ø 24mm
	BR0133SA	BPW, GIGANT, SAF, KRONE	R	F5011 0237027000 0237228900 0237228902	SHOCK ABSORBERS TYPE: OIL PRESSURE MOUNTING TYPE: UPPER PIN - LOWER EYE SHOCK ABSORBER SYSTEM: DOUBLE PIPE LENGTH EXTENDED: 429mm LENGTH SHORTENED: 299mm DIAMETER UPPER EYE: Ø 24mm DIAMETER LOWER EYE: Ø 24mm WIDTH UPPER EYE: 55mm WIDTH LOWER EYE: 55mm DIAMETER UPPER PIPE: 80mm DIAMETER LOWER PIPE: 70mm
	BR0081SA	SAF SCHMITZ CARGOBULL KÖGEL	R	1021298 2376007200 2376007201 2376007202 6500480	SHOCK ABSORBERS TYPE: OIL PRESSURE MOUNTING TYPE: UPPER EYE - LOWER PIN LENGTH EXTENDED: 533mm LENGTH SHORTENED: 343mm DIAMETER UPPER EYE: Ø 20mm DIAMETER LOWER EYE: Ø 20mm

	BREMSTECH REFERENCE	VEHICLE • MODEL	R/F	ALT. REF.	INFORMATION
	BR0142SA	SAF INTRADISC PLUS "IO" -2000- SAF INTRADISC PLUS "IU" -2000-	R	F5174 312668 2376007000 2376007001 1012386	SHOCK ABSORBERS TYPE: OIL PRESSURE MOUNTING TYPE: UPPER PIN - LOWER EYE SHOCK ABSORBER SYSTEM: DOUBLE PIPE LENGTH EXTENDED: 401mm LENGTH SHORTENED: 280mm DIAMETER UPPER EYE: Ø 20mm DIAMETER LOWER EYE: Ø 20mm WIDTH UPPER EYE: 78mm WIDTH LOWER EYE: 68mm DIAMETER UPPER PIPE: 80mm DIAMETER LOWER PIPE: 70mm
	BR0131SA	SAF AR/EU AXELS -1970- 416, 316, 212, 413, 211	R	312979 170198 170191 290468 F5254 2376001000 2376001400 2376001002 2376001001 2376001500 2376002900	SHOCK ABSORBERS TYPE: OIL PRESSURE MOUNTING TYPE: UPPER PIN - LOWER EYE SHOCK ABSORBER SYSTEM: DOUBLE PIPE LENGTH EXTENDED: 480mm LENGTH SHORTENED: 322mm DIAMETER UPPER EYE: Ø 20mm DIAMETER LOWER EYE: Ø 20mm WIDTH UPPER EYE: 62mm WIDTH LOWER EYE: 62mm DIAMETER UPPER PIPE: 80mm DIAMETER LOWER PIPE: 70mm
	BR0143SA	SAF INTRADISC PLUS "IO" -2000- SAF INTRADISC PLUS "IU" -2000-	R	F5175 2376007100 2376007101 2376007102 017917	SHOCK ABSORBERS TYPE: OIL PRESSURE MOUNTING TYPE: UPPER PIN - LOWER EYE SHOCK ABSORBER SYSTEM: DOUBLE PIPE LENGTH EXTENDED: 489mm LENGTH SHORTENED: 327mm DIAMETER UPPER EYE: Ø20 mm DIAMETER LOWER EYE: Ø20 mm WIDTH UPPER EYE: 78mm WIDTH LOWER EYE: 68mm DIAMETER UPPER PIPE: 80mm DIAMETER LOWER PIPE: 70mm



Agias Annis 50 & Terma Orpheos
Aigaleo 122 41, Athens – Greece
Tel: +30 210 3465942
e-mail: info@grantex.gr

